

Retatrutide | 10mg

Sample ID: 2608DEC1062.3203

Matrix: Peptide
Type: Vial (Injectable)
Sample Size: 1 units; Batch: 50 units

Collected: 08/24/2026
Received: 08/24/2026
Completed: 08/26/2026
Batch#: LUMI593-A17 LOT-Z51-Z12

Client
Ultra Pep Labs
1122 E Elk Ave
Glendale, CA 91205



Appearance: White to off-white lyophilized cake, uniform, intact, and free from visible particulates. No evidence of melt-back, collapse, discoloration, or foreign matter.

Summary

Test	Date Tested	Result
Batch		Conforms
Visible Particulates	08/24/2026	Conforms
Chromatographic Impurities	08/26/2026	Conforms

Average Weight: 70 mg

DECANO
ANALYTICS




Levon Antonyan, PhD
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic#

QA Testing

2 of 4

Retatrutide | 10mg

Sample ID: 2608DEC1062.3203

Matrix: Peptide
Type: Vial (Injectable)
Sample Size: 1 units; Batch: 50 units

Collected: 08/24/2026
Received: 08/24/2026
Completed: 08/26/2026
Batch#: LUMI593-A17 LOT-Z51-Z12

Client
Ultra Pep Labs
1122 E Elk Ave
Glendale, CA 91205

Peptides

Complete

Analyte	Purity	Assay/Potency	Identity
	%	mg/container	
Retatrutide	99.87	9.99	Confirmed



Date Tested: 08/26/2026

"ND" = not detected; "Confirmed" = identity confirmed; "Assay/Potency" = concentration of the active compound expressed in mg/vial or mg/unit or mg/container reporting units; "Purity" = concentration of the active compound relative to the labeled claim; "Identity" = identification of the active compound by retention time (RT) and UV spectral matching against a reference standard or Certified Reference Material (CRM). Unless otherwise stated, Peptides Assay/Potency, Purity, and Identity testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with applicable USP-NF monographs or other published validated methods verified by VK Labs LLC dba Decano Analytical Laboratories. Instrument: HPLC-DAD. The Assay/Potency, Purity, and Identity testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.



Levon Antonyan, PhD
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
<http://decanolabs.org>
Lic#

QA Testing

3 of 4

Retatrutide | 10mg

Sample ID: 2608DEC1062.3203

Matrix: Peptide
Type: Vial (Injectable)
Sample Size: 1 units; Batch: 50 units

Collected: 08/24/2026
Received: 08/24/2026
Completed: 08/26/2026
Batch#: LUMI593-A17 LOT-Z51-Z12

Client
Ultra Pep Labs
1122 E Elk Ave
Glendale, CA 91205

Foreign Matter

Conforms

Analyte

Result

Visible Particulates

Not Detected



Date Tested: 08/24/2026

Unless otherwise stated, Visual Particulates testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with specifications of USP-NF General Chapter <1790> Visual Inspection of Injections. Results are determined by visual inspection and are reported as "Detected" / "Not Detected". If a visible particulate is detected, the "Visible Particulates Appearance" section describes the finding. The Visual Particulates testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.




Levon Antonyan, PhD
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
<http://decanolabs.org>
Lic#

QA Testing

4 of 4

Retatrutide | 10mg

Sample ID: 2608DEC1062.3203

Matrix: Peptide
Type: Vial (Injectable)
Sample Size: 1 units; Batch: 50 units

Collected: 08/24/2026
Received: 08/24/2026
Completed: 08/26/2026
Batch#: LUMI593-A17 LOT-Z51-Z12

Client
Ultra Pep Labs
1122 E Elk Ave
Glendale, CA 91205

Chromatographic Purity

Conforms

Analyte	Limit	Result
	%	%
Chromatographic Impurities	1.00	ND



Date Tested: 08/26/2026

"ND" = not detected; Unless otherwise stated, Chromatographic Purity testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with USP-NF General Chapter <1086> Impurities in Drug Substances and Drug Products. Action Limits are applied per USP-NF General Chapter <1086> Impurities in Drug Substances and Drug Products. Instrument: HPLC-DAD. The Chromatographic Impurities testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.




Levon Antonyan, PhD
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.