



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Certificate of Analysis

1 of 2



KLOW blend 80mg | KLOW
2609DEC1183.3551

PHOTO



SAMPLE INFO

Client	Ultra Pep Labs	Batch #	LUMI593-A62 LOT-Z51-Z1
Collected	09/21/2026	Matrix	Peptide
Received	09/21/2026	Type	Vial (Injectable)
Completed	09/25/2026	Sample Size	1 units
Reported	09/25/2026		
Average Weight	205 mg		

Appearance Light blue to blue lyophilized cake, uniform, intact, and free from visible particulates. No evidence of melt-back, collapse, discoloration, or foreign matter.

SUMMARY

Visible Particulates	09/25/2026	Conforms
Chromatographic Impurities	09/25/2026	Conforms

PEPTIDES

Complete

Date Tested: 09/25/2026

Analyte	Purity	Assay/Potency	Identity
	%	mg/vial	
BPC-157	98.845	9.88	Confirmed
GHK-Cu	99.465	49.73	Confirmed
KPV	99.083	9.91	Confirmed
TB-500 (Thymosin beta-4, 43 amino acids) (acetate)	98.289	9.83	Confirmed

"ND" = not detected; "Confirmed" = identity confirmed; "Assay/Potency" = concentration of the active compound expressed in mg/vial or mg/unit or mg/container reporting units, "Purity" = concentration of the active compound relative to the labeled claim; "Identity" = identification of the active compound by retention time (RT) and UV spectral matching against a reference standard or Certified Reference Material (CRM). Unless otherwise stated, Peptides Assay/Potency, Purity, and Identity testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with applicable USP-NF monographs or other published validated methods verified by VK Labs LLC dba Decano Analytical Laboratories. Instrument: HPLC-DAD. The Assay/Potency, Purity, and Identity testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.

Levon Antonyan, PhD - Laboratory
Director

09/25/2026

VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
<http://decanolabs.org>
Lic# C8-0000138-LIC

Certificate of Analysis

2 of 2

VISIBLE PARTICULATES

Conforms

Date Tested: 09/25/2026

Analyte

Result

Visible Particulates

Not Detected

Unless otherwise stated, Visual Particulates testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with specifications of USP-NF General Chapter <1790> Visual Inspection of Injections. Results are determined by visual inspection and are reported as "Detected" / "Not Detected". If a visible particulate is detected, the "Visible Particulates Appearance" section describes the finding. The Visual Particulates testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.

CHROMATOGRAPHIC PURITY

Conforms

Date Tested: 09/25/2026

Analyte

Limit

Result

%

%

Chromatographic Impurities

1.00

ND

"ND" = not detected; Unless otherwise stated, Chromatographic Purity testing is performed according to the method established by VK Labs LLC dba Decano Analytical Laboratories in accordance with USP-NF General Chapter <1086> Impurities in Drug Substances and Drug Products. Action Limits are applied per USP-NF General Chapter <1086> Impurities in Drug Substances and Drug Products. Instrument: HPLC-DAD. The Chromatographic Impurities testing method is outside our Scope of Accreditation and is not covered by ISO/IEC 17025:2017.

Levon Antonyan, PhD - Laboratory
Director

09/25/2026

VK Labs LLC dba Decano Analytical Laboratories (The Laboratory) results are provided for research, quality control, or informational purposes only and are not intended for human or veterinary use, clinical diagnosis, or therapeutic application. The Laboratory makes no claims regarding the efficacy, safety, or regulatory status of the tested material. Detection or non-detection of analytes does not imply safety or suitability for any use. Reported results apply only to the specific sample tested. The Laboratory makes no representation that results are representative of other lots, batches, or containers unless sampling and testing were performed under an agreed sampling plan documented in the report. The Laboratory is not responsible for sample integrity prior to receipt. Chain of Custody and sample handling are documented; deviations are recorded. This product was tested by The Laboratory using valid testing methods and a quality system; however, testing for Peptides, Proteins, Nutraceuticals, Alkaloids, Personal Care products, and other categories outside our current Scope of Accreditation is performed using testing methods not covered by current ISO/IEC 17025:2017. Reported values relate only to the product tested. The Laboratory's Decision Rule for Measurement Uncertainty is Simple Acceptance. This Certificate may not be reproduced, except in full, without the prior written approval of The Laboratory. Test methods, raw data, and supporting documentation are confidential and will be released only under a prior written agreement or as required by law. To the fullest extent permitted by law, VK Labs LLC dba Decano Analytical Laboratories' liability for any claim arising from testing is limited to the fee paid for the testing services. VK Labs LLC dba Decano Analytical Laboratories disclaims all other warranties, express or implied.